





**REIMAX**  
*electronics*

PRODUCT CATALOG  
2024 - 2025



# Table of Contents

	Page
Extension cords_____	1-3
Extension cords, indoor_____	4
3- Phase extension cords_____	5
Installation cable sets_____	5
Adapters_____	6
Extention cord reels_____	7
Power cords C13_____	8
Extension socket-outlet_____	9-10
Power plugs and sockets (without cable)_____	11
Residual current breaker_____	12
Connection cables _____	13-15
Led lightstrips _____	16
Site lights _____	17
Work-site switchboards_____	18-19
Distribution blocks _____	20
Concrete curing cables_____	20
Engine block heater- products_____	21
Heating mats_____	22
Customized products_____	23-24
Cables_____	25



# Contact information

Contact information:

SALES:

KLAUKKALA

Tel. +358 (0)20 712 0670

Thomas Ohlström

+358 (0)400 424 765

OULU

Kaija Ranta

+358 (0)40 834 5103

firstname.lastname@reimax.net

myynti@reimax.net

Orders:

We also provide customer specific products with flexible delivery times,  
if suitable product is not found from our catalog.

**STUL-TAKUU**



ISO 9001  
ISO 14001  
ISO 45001

**BUREAU VERITAS**  
Certification



# Extension cords

- For professional use and demanding conditions
- 100% electrical testing
- FI- approved - IP44

- Customized markings available

Code	Product name	STK no	
10010653	Extension cord 10m, 1-way moulded socket A05RN-F 3G1,5mm <sup>2</sup>	2445111	
10010738	Extension cord 20m, 1-way moulded socket A05RN-F 3G1,5mm <sup>2</sup>	2445112	
10010737	Extension cord 10m, 1-way moulded socket H07RN-F 3G1,5mm <sup>2</sup>	2445101	
10010736	Extension cord 20m, 1-way moulded socket H07RN-F 3G1,5mm <sup>2</sup>	2445102	
10010790	Extension cord 20m, 1-way screw terminal A05RN-F 3G1,5mm <sup>2</sup>	2440238	
10010763	Extension cord 10m, 1-way screw terminal H07BN4-F 3G2,5mm <sup>2</sup>	2440266	
10010764	Extension cord 20m, 1-way screw terminal H07BN4-F 3G2,5mm <sup>2</sup>	2440267	
10010797	Extension cord 10m, 2-way moulded socket A05RN-F 3G1,5mm <sup>2</sup>	2445121	
10010654	Extension cord 20m, 2-way moulded socket A05RN-F 3G1,5mm <sup>2</sup>	2445122	
10010757	Extension cord 10m, 2-way moulded socket H07RN-F 3G1,5mm <sup>2</sup>	2445131	
10010758	Extension cord 20m, 2-way moulded socket H07RN-F 3G1,5mm <sup>2</sup>	2445132	
10010754	Extension cord 10m, 2-way screw terminal A05RN-F 3G1,5mm <sup>2</sup>	2440302	
10010756	Extension cord 20m, 2-way screw terminal A05RN-F 3G1,5mm <sup>2</sup>	2440303	

# Extension cords

- For professional use and demanding conditions
- 100% electrical testing
- FI- approved - IP44

- Customized markings available

Code	Product name	STK no
10010735	Extension cord 5m, 2-way barrel A05RN-F 3G1,5mm <sup>2</sup> TARMO	2440225
10010732	Extension cord 10m, 2-way barrel A05RN-F 3G1,5mm <sup>2</sup>	2440227
10010733	Extension cord 20m, 2-way barrel A05RN-F 3G1,5mm <sup>2</sup>	2440228
10010752	Extension cord 20m, 2-way barrel H07BN4-F 3G2,5mm <sup>2</sup>	2445133



10010788	Extension cord 10m, 3-way moulded socket A05RN-F 3G1,5mm <sup>2</sup>	2445151
10010789	Extension cord 20m, 3-way moulded socket A05RN-F 3G1,5mm <sup>2</sup>	2445152
10010759	Extension cord 10m, 3-way moulded socket H07RN-F 3G1,5mm <sup>2</sup>	2445141
10010760	Extension cord 20m, 3-way moulded socket H07RN-F 3G1,5mm <sup>2</sup>	2445142



10010746	Extension cord 10m, 3-way screw terminal A05RN-F 3G1,5mm <sup>2</sup>	2440296
10010745	Extension cord 20m, 3-way screw terminal A05RN-F 3G1,5mm <sup>2</sup>	2440297
10010748	Extension cord 10m, 3-way screw terminal H07RN-F 3G1,5mm <sup>2</sup>	2440293
10010786	Extension cord 20m, 3-way screw terminal H07BN4-F 3G1,5mm <sup>2</sup>	2440294
10010751	Extension cord 20m, 3-way screw terminal H07BN4-F 3G2,5mm <sup>2</sup>	2440295






10010753	Extension cord 10m, 3-way splitted screw terminal A05RN-F 3G1,5mm <sup>2</sup>	2440306
10010755	Extension cord 20m, 3-way splitted screw terminal A05RN-F 3G1,5mm <sup>2</sup>	2440307



# Extension cords


- For professional use and demanding conditions
- 100% electrical testing
- FI- approved - IP44

- Customized markings available

Code	Product name	STK no	
10010669	Extension cord with pilot light 20m, 1-way H07RN-F 3G1,5mm <sup>2</sup>	2440208	
10010749	Extension cord 10m, 3-way screw terminal (PUR) H07BQ-F 3G1,5mm <sup>2</sup>	2440083	
10010750	Extension cord 20m, 3-way screw terminal (PUR) H07BQ-F 3G1,5mm <sup>2</sup>	2440084	
10010731	Spiral extension cord 5m, 3-way splitted screw terminal (PUR) H07BQ-F 3G1,5mm <sup>2</sup>	2440230	

# Extension cords, indoor

- Indoor extension cord with PVC cable
- IP20
- Note: Available in different lengths and colors

Code	Product name	STK no	
10010815	Indoor extension cord 5m, 1-way white (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2401021	
10010827	Indoor extension cord 1,5m, 3-way white (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2440349	
10010822	Indoor extension cord 3m, 3-way white (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2440350	
10010825	Indoor extension cord 5m, 3-way white (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2440345	
10010807	Indoor extension cord 5m, 4-way white (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2401017	
10010826	Indoor extension cord 1,5m, 5-way white (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2440348	
10010828	Indoor extension cord 3m, 6-way white with switch (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2440352	
10010824	Indoor extension cord 5m, 6-way white (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2440346	
10010806	Indoor extension cord 10m, 6-way white (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2401020	
10010862	Spiral extension cord 5m, 4-way, 90° plug (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2401005	
10011067	Extension socket, indoor, 3-way white	2440313	
10011068	Extension socket, indoor, 4-way white	2440317	
10011065	Extension socket, indoor, 6-way white	2440316	

## 3-phase extension cords

- High quality and durable rubber cable
- 100% electrical testing
- IP44

- FI- approved
- Customized markings available

Code	Product name	STK no
10010791	16A 3- phase extension cord 10m H07RN-F 5G2,5mm <sup>2</sup>	2440357
10010781	16A 3- phase extension cord 20m H07RN-F 5G2,5mm <sup>2</sup>	2440360
10010792	32A 3- phase extension cord 10m H07RN-F 5G6mm <sup>2</sup>	2440358
10010782	32A 3- phase extension cord 20m H07RN-F 5G6mm <sup>2</sup>	2440361
10010772	63A 3- phase extension cord 10m H07RN-F 5G16mm <sup>2</sup>	2440363
10010773	63A 3- phase extension cord 20m H07RN-F 5G16mm <sup>2</sup>	2440362



10010778	16A 3- phase extension cord 10m, phase converter H07RN-F 5G2,5mm <sup>2</sup>	2440250
10010774	16A 3- phase extension cord 20m, phase converter H07RN-F 5G2,5mm <sup>2</sup>	2440396
1325318	32A 3- phase extension cord 10m, phase converter H07RN-F 5G6mm <sup>2</sup>	2440251
10010775	32A 3- phase extension cord 20m, phase converter H07RN-F 5G6mm <sup>2</sup>	2440397



## Installation cable sets

- High quality and durable rubber cable
- 100% electrical testing





Code	Product name	STK no
10010441	Kitchen stove installation cable set, IP20  H07RN-F 5G2,5 / 1,5m	0433500
10010442	Sauna heater installation cable set, IP44  H07RN-F 5G2,5 / 1,2m	0433501





# Adapters

- 100% electrical testing
- IP44
- FI- approved

Code	Product name	STK no	
10011079	Adapter 3/1 - 1,3m, 855 H07BN4-F 5G1,5mm <sup>2</sup>	2440365	
	Converts 3-phase to single phase. Three grounded sockets with closing protective covers. Each socket has its own phase.		
10011077	Adapter 0,5m CEE/ SCHUKO H07RN-F 3G2,5mm <sup>2</sup>	2445280	
	Converts CEE- socket to Schuko socket		
10011080	Adapter CEE/ SCHUKO Converts CEE- socket to Schuko socket	2445289	
10011081	Adapter 32A - 16A Converts 32A -> 16A	2401002	
	Inlet 5*32A, socket 5*16A Fuseprotection 3pcs 16A Slow		

# Extention Cord Reel





- 100% electrical testing
- All reels are equipped with protection against overheating


Code	Product name	STK no	
10011033	Extention cord reel 25m, IP44, plastic H05RR 3G1,5mm <sup>2</sup>	2440382	
10011034	Extention cord reel 50m, IP44, plastic H05RR 3G1,5mm <sup>2</sup>	2440385	
10011026	Extention cord reel 40m, IP44, metallic H07RN-F 3G1,5mm <sup>2</sup>	2401009	
10011032	Extention cord reel 33m, IP44, metallic H07RN-F 3G2,5mm <sup>2</sup>	2401008	
10011027	Extention cord reel 20m, IP44, metallic H07RN-F 3G1,5mm <sup>2</sup>	2401012	
10011028	Extention cord reel 20m, IP44, metallic H07RN-F 3G2,5mm <sup>2</sup>	2401019	
10011024	Extention cord reel indoor 18+2m, IP44, plastic H07RN-F 3G1,5mm <sup>2</sup>	2401006	

# Equipment cables

- 100% electrical testing
- FI- approved
- IP44

- Available also in halogen-free

Code	Product name	STK no	
10010420	Equipment cable 2m, 90° plug (MSK) H05VV-F 3G0,75mm <sup>2</sup>		
10010413	Equipment cable 2,5m (MSK) H05VV-F 3G1,0mm <sup>2</sup>	2440265	
10010394	Equipment cable 2,5m A05RN-F 3G1,5mm <sup>2</sup>		
Equipment cables are available in various different models.			 








# Extension socket-outlets

- FI- approved
- IP44
- Note: Available in different colours and custom-made logos

Code	Product name	STK no	
10011046	Extension socket-outlet 1-way		
10011043	Splitted extension socket-outlet 2-way, black	2440326	
10011054	Splitted extension socket-outlet 2-way, grey	2440325	
10011050	Extension socket-outlet 2-way, barrel		
10011051	Extension socket-outlet 3-way, black	2440371	
10011035	Extension socket-outlet 3-way, orange	2440372	




# Extension socket-outlets

- FI- approved
- IP44
- Note: Available in different colours and custom-made logos

Code	Product name	STK no	
10011044	Splitted extension socket-outlet 3-way, black	2440328	
10011045	Splitted extension socket-outlet 3-way, orange	2440330	
	Reimax- extension socket-outlets available in various different colours		
10011083	Distribution block, indoor, 2-way 202, IP20 10A, white	2440370	
10011085	Distribution block, outdoor, 2-way, IP44, 10A black	2440292	

# Power plugs and sockets (without cable)

- Screwless spring terminal
- Also multiple appliance connectors available

Code	Product name	STK no	
10011095	Power plug 16A	2445202	
10011098	Power plug 32A	2445206	
10011105	Power plug 63A	2445210	
10011047	Power socket 16A	2440322	
10011048	Power socket 32A	2440323	
10011060	Power socket 63A	2440324	
10011097	Schuko power plug, screw terminal	2445231	



# Residual current breaker

- 100% electrical testing

Code	Product name	STK no	
10011116	Extension cord 1,5m, 1-way. + residual current breaker H05RN-F 3G1,5mm <sup>2</sup>	3260530	
10011113	Extension cord 2m, 3-way + residual current breaker (PUR) H07BQ-F 3G1,5mm <sup>2</sup>	3260531	
10011115	Residual current breaker 16A 230V 30mA, without cable	3262101	
10011108	16A, 1,5m 3-phase residual current breaker 30mA with connection cable H07RN-F 5G2,5mm <sup>2</sup>	3262104	
10011114	Residual current breaker adapter 30mA Specially suitable for moist spaces IP44	3262103	
10011117	Residual current breaker with plug 30mA IP54	3262102	

# Connection cables

- High quality and durable rubber cable
- 100% electrical testing
- IP44

- FI- approved
- Customized markings available

Code	Product name	STK no
10010432	H07RN-F 2x1,0mm <sup>2</sup> length 3m	2440201
10010433	H07RN-F 2x1,0mm <sup>2</sup> length 5m	2440202
10010633	H07RN-F 2x1,0mm <sup>2</sup> length 10m	2440203
10010596	A05RN-F 2x1,0mm <sup>2</sup> length 3m	2440205
10010597	A05RN-F 2x1,0mm <sup>2</sup> length 5m	2440206
10010598	A05RN-F 2x1,0mm <sup>2</sup> length 10m	2440207
10010430	H07RN-2x1,5mm <sup>2</sup> length 3m	2440211
10010431	H07RN-2x1,5mm <sup>2</sup> length 5m	2440212
10010561	A05RN-F 2x1,5mm <sup>2</sup> length 2m	2440215
10010599	A05RN-F 2x1,5mm <sup>2</sup> length 3m	2440216
10010600	A05RN-F 2x1,5mm <sup>2</sup> length 5m	2440217



ungrounded, IP20

10010427	H07RN-F 3G1,5mm <sup>2</sup> length 3m	2440221
10010428	H07RN-F 3G1,5mm <sup>2</sup> length 5m	2440222
10010434	H07RN-F 3G1,5mm <sup>2</sup> length 10m	2440223
10010426	A05RN-F 3G1,5mm <sup>2</sup> length 3m	2440241
10010425	A05RN-F 3G1,5mm <sup>2</sup> length 5m	2440242
10010429	A05RN-F 3G1,5mm <sup>2</sup> length 10m	2440243
10010576	A05RN-F 3G1,5mm <sup>2</sup> length 20m	2440244



grounded, IP44



# Connection cables

- With high quality rubber and PVC cable
- 100% electrical testing
- FI- approved

- Other end is stripped with end-sleeve
- Also available with 90° plug and max. 2,5mm<sup>2</sup> wires

Code	Product name	STK no	
10010627	3m, ungrounded IP20 (MSO) H03VVH2-F 2G0,75mm <sup>2</sup>	2440255	
10010499	3m, ungrounded IP20 - white (MSK) H05VV-F 2G1,0mm <sup>2</sup>	2440246	
10010559	5m, ungrounded IP20 - white (MSK) H05VV-F 2G1,0mm <sup>2</sup>	2440247	
10010595	3m, grounded IP44 (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2440262	
10010622	5m, grounded IP44 (MSK) H05VV-F 3G1,5mm <sup>2</sup>	2440263	
10010860	1m spiral cable, 90° plug MSKEZ 3G1,5mm <sup>2</sup> work lenght 5m	2440271	
10010859	1m spiral cable, 90° plug (PUR) H07BQ-F 3G1,5mm <sup>2</sup> work lenght 5m		
Custom-made models and lenghts are also available.			

# Connection cables









- Winsta-compatible
- With high quality PUR or PVC cable
- 100% electrical testing

Code	Product name	STK no	
10014239	Winspi 4-OS WHT H05VV-H 3G1,5mm <sup>2</sup> Wago Winsta 3-pole 770-213/035-000 25A + Extension socket 4-way 300/500V Temperature 0/+70 C	2440213	
10010844	Winspi 622 BLK H07BQ-F 3G1,5mm <sup>2</sup> Wago Winsta 3-pole 770-213/035-000 25A + 622 2-way socket IP44 230V~/16 450/750V Temperature -40/+90 C	2440214	
10014240	Winspi 630 ORA H07BQ-F 3G1,5mm <sup>2</sup> Wago Winsta 3-pole 770-213/035-000 25A + 630 3-way socket IP44 230V~/16 450/750V Temperature -40/+90 C	2440218	
10014241	Winspi 851 WHT H05VV-H 3G1,5mm <sup>2</sup> Wago Winsta 3-pole 770-213/035-000 25A + 851 1-way socket IP44 230V~/16 300/500V Temperature 0/+70 C	2440219	
10010845	Winspi 851 BLK H07BQ-F 3G1,5mm <sup>2</sup> Wago Winsta 3-pole 770-213/035-000 25A + 851 1-way socket IP44 230V~/16 450/750V Temperature -40/+90 C	2440226	
10010846	Winspi 851 ORA H07BQ-F 3G1,5mm <sup>2</sup> Wago Winsta 3-pole 770-213/035-000 25A + 851 1-way socket IP44 230V~/16 450/750V Temperature -40/+90 C	2440254	

# LED-lightstrips

- The flexible linear lighting is suitable for corridors, hallways, storage rooms, elevator shafts and even outside along fences, scaffolding or buildings.

- Dimmable

Code	Product name	STK no	
10014248	RXLED-15 led-lightstrip in reel 15m 6000K IP65 230V~ 50/60Hz Operation temperature -20°C – +45°C Chainable, maximum total length of light strips 50m	4301402	
10011090	RXLED-25 led-lightstrip in reel 25m 6000K IP65 230V~ 50/60Hz Operation temperature -20°C – +45°C Chainable, maximum total length of light strips 50m	4301403	
10014249	RXLED-50 led-lightstrip in reel 50m 6000K IP65 230V~ 50/60Hz Operation temperature -20°C – +45°C Chainable, maximum total length of light strips 50m	4301404	
10014250	RXLED led-lightstrip 10m disposable reel 6000K IP65 230V~ 50/60Hz Operation temperature -20°C – +45°C Chainable, maximum total length of light strips 50m	4301405	
10011091	RXLED led-lightstrip 25m disposable reel 6000K IP65 230V~ 50/60Hz Operation temperature -20°C – +45°C Chainable, maximum total length of light strips 50m	4301406	
10011092	Led mounting clip 50pcs/bag		
10011093	T-connector for led Maximum total length of light strips 50m		
10011094	Led power cord 1,5m  Included in Led-lightstrips, available also as a spare part		

# Site lights

Code	Product name	STK no
1111578	Site light A05RN-F 2G1,0mm <sup>2</sup> , 5m	4105905
1112327	Site light A05RN-F 2G1,0mm <sup>2</sup> , 10m	4105910



10011124	Fluorescent lamp 230V/11W, rubber cable	4103903
	Replaceable fluorescent lamp with ON/OFF- switch and hanging hook, length 5m	




10011125	Site light MAL 20-05, magnetic and clips fixing A05RN-F 2G1,0mm <sup>2</sup>	4103974
	Energy saving lamp 20W Length 5m	



# Work site switchboards


- 400/230V 50Hz, IP44
- 100% electrical testing
- Galvanised metal framing, plastic casing

Code	Product name	STK no	
10011128	THK 316/2 H07RN-F 5G2,5mm <sup>2</sup> , lenght 10m  Sockets: 2pcs 5*16A 400V, 3pcs 16A 230V	3401808	
10011129	THK 16/4/10 H07RN-F 3G1,5mm <sup>2</sup> , lenght 10m	3401804	
10011131	THK 32 VV H07RN-F 5G6mm <sup>2</sup> , lenght 1,5m  Sockets: 1pc 5*32A 400V, 1pc 5*16A 400V, 2pcs 16A 230V Residual current device 3P+N C16 30mA A 6kA	3401806	

# Work site switchboards

- 400/230V 50Hz, IP44
- 100% electrical testing
- Galvanised metal framing, plastic casing

Code	Product name	STK no
10011130	THK 316/1VV/10 H07RN-F 5G2,5mm <sup>2</sup> , lenght 10m	3401810
	Sockets: 1pc 5*16A 400V, 3pcs 16A 230V Residual current device 3P+N C16 30mA A 6kA	
10011127	RXTAKR 32 Sockets: 2pcs 5*32A, 2pcs 5*16A, 3pcs 16A 2-way schuko	3401816
	Residual current device 40A 3P+N 30mA 9x16A Mini circuit breaker	
10011126	RXTAKR 63 Sockets: 1pc 5*63A, 2pcs 5*32A, 2pcs 5*16A 2-way schuko	3401818
	Residual current device 63A 3P+N 500mA 3x32A + 3x32A Mini circuit breaker	
	Residual current device 63A 3P+N 30mA 3x16A + 3x16A + 3x16A Mini circuit breaker	



## Distribution blocks

Code	Product name	STK no
10011087	Distribution block 516-22 Inlet 5*16A 400V	2440375
	Sockets: 2pcs 16A 230V grounded 1pc 5*16A 400V	
10011086	Distribution block 516-23 Inlet 5*16A 400V	2440376
	Sockets: 3pcs 16A 230V grounded 1pc 5*16A 400V	



## Concrete curing cable

- Connection cable (VSB) H07RN-F 3G1,5mm<sup>2</sup>, connection cable 2m with schuko
- Output approx. 40W/m

Code	Product name	STK no
10011144	3,3m - 130W	0420400
10011145	10m - 380W	0420401
10011146	20m - 735W	0420403
10011147	35m - 1400W	0420405
10011148	85m - 3500W	0420408
	Concrete curing switchboard Input 16A 400V inlet	
	Outlet 6pcs 16A socket	
	Temperature- sensor Control with thermostat or manual	



# Vehicle warm-up - products

- Products with minimum batch, ask for more information

- Frost resistance -50°C

- 100% electrical testing

- IP44

Code	Product name	STK no
10011012	Defa- compatible miniplug connection cable 2,6m A05RN-F 3G1,5mm <sup>2</sup> with 90° plug	
10011014	Defa- compatible miniplug connection cable 5,0m A05RN-F 3G1,5mm <sup>2</sup> with 90° plug	
10011013	Calix- compatible miniplug connection cable 2,6m A05RN-F 3G1,5mm <sup>2</sup> with 90° plug	
10011015	Calix- compatible miniplug connection cable 5,0m A05RN-F 3G1,5mm <sup>2</sup> with 90° plug	



10011075	Defa- compatible adapter	
10011076	Calix- compatible adapter	



10011019	Vehicle warm-up cable, CEE-socket, 2,5m, 90° plug A05RN-F 3G1,5mm <sup>2</sup>	2440283







10011162	Frost detector Pv02, 0,8m A05RN-F 3G1,5mm <sup>2</sup>	8105100
	Thermostat cable for example heating the engine.	





# Heating mat

- For ice and frost thawing
- Linkable heating mats for ice free entrances and passages

Code	Product name	STK no	
10011132	<p>Heating mat 1*3m Power 1000W/ 230V, weight approx. 11kg, thickness 20mm</p> <hr/> <p>Wear-resistant PVC-coated nylonfiberfabric, IP 44 Thaws up to 50cm/24h, 100% electrical testing</p> <hr/> <p>Self-extinguishing foam isolation Resistors with PTFE- isolation</p> <hr/> <p>Automatic temperature control (bi-metallic thermostat +60°) Available in different sizes and logos</p> <hr/> <p>Sail eyelets for easier attachment and nylonstraps for easier transportation and storing.</p>		
10011134	<p>Heating mat RX25-70 80W 25x70cm, weight 2,5kg, IP67</p> <hr/> <p>Power cord sold separately Can be linked together, even different sizes, to create a set</p>	8105200	
10011135	<p>Heating mat RX60-90 230W 60x90cm, weight 9kg, IP67</p> <hr/> <p>Power cord sold separately Can be linked together, even different sizes, to create a set</p>	8105201	
10011136	<p>Heating mat RX70-110 300W 70x110cm, weight 11kg, IP67</p> <hr/> <p>Power cord sold separately Can be linked together, even different sizes, to create a set</p>	8105202	
0008535	<p>Heating mat RX90-150 410W 90x150cm, weight 22kg, IP67</p> <hr/> <p>Power cord sold separately Can be linked together, even different sizes, to create a set</p>		
10011137	<p>Power cord for heating mat 1,8m</p> <hr/>	2440268	
10011138	<p>Power cord for heating mat with GFCI 1,8m</p> <hr/>	2440269	

# Customized products


Reimax offers production services for electric and electronic products and product development and manufacturing services for plastic technology.

## Create your own cable product

Our professional product development can design a custom-made product for your unique needs quickly and cost effectively. By using our wide connections we are able to solve even the most challenging demands. We also manufacture vermouldings and complex assemblies.

- 4 Horizontal moulding machines
- Compressive force 50-165t
- Engine capacity 120-286cm<sup>3</sup>
- 10 vertical moulding machines
- Applicable in overmoulding

Custom-made cable products  
Brand label-electrical accessories  
Electromechanical customer products  
Plastic technology services  
Manufacturing and logistics  
Custom-marked cables



The colours of DrakaFlex Rainbow cable, enclosure and plug end for basic products can be freely chosen. The products can be modified as your own Brand Label product with custom-made logos. With these, your company logo can be placed in plastic mould or optionally text can be placed in the cable, when the text appears in the full length of cable in every half of meter. Additionally we manufacture custom-made harnesses from various cables, wires and connectors.

# Customized products

## Harnesses and Cables

Reimax manufactures customer specific harnesses and equipment cables. We have customers from wide range of industries in Finland and abroad. Our harness and equipment cable machinery is modern and versatile. The quality of handwork is ensured by continuous education, for example personal quality standard IPC620 class III.



## Sensor Technology

Reimax manufactures also various custom specific sensors for example measuring temperature and humidity. Sensors can be moulded inside a resin or plastic mould or assembled in steel tube.

## Electromechanical assembly

Reimax manufactures various part and equipment assemblies from small terminal blocks to demonstration cases and in-vehicle computers.



## Cabinets

Reimax designs and manufactures FI- certified electrical distribution and automation cabinets for building construction and industry use. We also design and produce programmed KNX-centers.



# Cables

Reimax Electronics – extension cords are developed for the needs of professionals and perform reliably in extreme conditions. Manufacturing materials and components are selected to withstand the northern climate as well as the chemical and mechanical stress appearing in industry and construction sites.

## VSKB i.e. A05RN-F

Extremely flexible weather and oil proof cable for installation of light and portable devices/equipments. Suitable for light mechanical stress. Suitable for continuous external use.  
Temperature resistance -35 °C... +60 °C

## VSF i.e. H07RN-F

Flexible weather and oil proof cable for medium mechanical and chemical stress in dry, moist, wet and flammable indoor and outdoor areas as well as in explosive atmosphere. Thicker isolation layer than in VSKB cable. Self-extinguishing.  
Temperature resistance -35 °C... +60 °C

## VSF-TARMO (VSF-T) i.e. H07RN-F / H07BB-F / H07BN4-F

Weather and oil proof cable for medium mechanical and chemical stress in dry, moist, wet and flammable indoor and outdoor areas as well as in explosive atmosphere. Halogen-free. Flexible up to -50 °C.  
Temperature resistance -50 °C... +60 °C (in special use up to ...+90 °C).

## PUR i.e. H07BQ-F

Oil proof cable. Resist extreme mechanical and chemical stress. Ideal cable if in touch with oil, sharp edges or coarse surfaces. Does not leave a trace on finished surfaces, as rubber cable might do.  
Temperature resistance -50 °C... +60 °C (in special use up to ...+90 °C).

## MSK i.e. H05VV-F

PVC-cable, internal use only (not frost resistant).